severe congenital neutropenia

Severe congenital neutropenia is a condition that causes affected individuals to be prone to recurrent infections. People with this condition have a shortage (deficiency) of neutrophils, a type of white blood cell that plays a role in inflammation and in fighting infection. The deficiency of neutrophils, called neutropenia, is apparent at birth or soon afterward. It leads to recurrent infections beginning in infancy, including infections of the sinuses, lungs, and liver. Affected individuals can also develop fevers and inflammation of the gums (gingivitis) and skin. Approximately 40 percent of affected people have decreased bone density (osteopenia) and may develop osteoporosis, a condition that makes bones progressively more brittle and prone to fracture. In people with severe congenital neutropenia, these bone disorders can begin at any time from infancy through adulthood.

Approximately 20 percent of people with severe congenital neutropenia develop cancer of the blood-forming tissue (leukemia) or a disease of the blood and bone marrow (myelodysplastic syndrome) during adolescence.

Some people with severe congenital neutropenia have additional health problems such as seizures, developmental delay, or heart and genital abnormalities.

Frequency

The incidence of severe congenital neutropenia is estimated to be 1 in 200,000 individuals.

Genetic Changes

Severe congenital neutropenia can result from mutations in at least five different genes. These genes play a role in the maturation and function of neutrophils, which are cells produced by the bone marrow. Neutrophils secrete immune molecules and ingest and break down foreign invaders.

Gene mutations that cause severe congenital neutropenia lead to the production of neutrophils that die off quickly or do not function properly. Some gene mutations result in unstable proteins that build up in neutrophils, leading to cell death. Other gene mutations result in proteins that impair the maturation or function of neutrophils, preventing these cells from responding appropriately to immune signals.

About half of all cases of severe congenital neutropenia are caused by mutations in the *ELANE* gene. Another 15 percent are caused by mutations in the *HAX1* gene. The other genes each account for only a small percentage of all cases of this condition. In

about one-third of people with severe congenital neutropenia, the cause of the disorder is unknown.

Inheritance Pattern

Most cases of severe congenital neutropenia are classified as sporadic and occur in people with no apparent history of the disorder in their family. Some of these cases are associated with changes in specific genes; however in some cases the cause of the disorder is unknown.

Many cases of severe congenital neutropenia are inherited in an autosomal dominant pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder.

Less often, this condition is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

In rare cases, severe congenital neutropenia is inherited in an X-linked recessive pattern. In these cases, the gene that causes the condition is located on the X chromosome, which is one of the two sex chromosomes. In males (who have only one X chromosome), one altered copy of the gene in each cell is sufficient to cause the condition. In females (who have two X chromosomes), a mutation would have to occur in both copies of the gene to cause the disorder. Because it is unlikely that females will have two altered copies of this gene, males are affected by X-linked recessive disorders much more frequently than females. A characteristic of X-linked inheritance is that fathers cannot pass X-linked traits to their sons.

Other Names for This Condition

- congenital agranulocytosis
- congenital neutropenia
- infantile genetic agranulocytosis
- Kostmann disease
- Kostmann's agranulocytosis
- Kostmann's syndrome
- severe infantile genetic neutropenia

Diagnosis & Management

These resources address the diagnosis or management of severe congenital neutropenia:

- GeneReview: ELANE-Related Neutropenia https://www.ncbi.nlm.nih.gov/books/NBK1533
- GeneReview: G6PC3 Deficiency https://www.ncbi.nlm.nih.gov/books/NBK285321
- Genetic Testing Registry: Severe congenital neutropenia https://www.ncbi.nlm.nih.gov/gtr/conditions/C1853118/
- Genetic Testing Registry: Severe congenital neutropenia 2, autosomal dominant https://www.ncbi.nlm.nih.gov/gtr/conditions/C2751288/
- Genetic Testing Registry: Severe congenital neutropenia 4, autosomal recessive https://www.ncbi.nlm.nih.gov/gtr/conditions/C2675526/
- Genetic Testing Registry: Severe congenital neutropenia X-linked https://www.ncbi.nlm.nih.gov/gtr/conditions/C1845987/
- Genetic Testing Registry: Severe congenital neutropenia autosomal dominant https://www.ncbi.nlm.nih.gov/gtr/conditions/C1859966/
- MedlinePlus Encyclopedia: Neutropenia--infants https://medlineplus.gov/ency/article/007230.htm

These resources from MedlinePlus offer information about the diagnosis and management of various health conditions:

- Diagnostic Tests https://medlineplus.gov/diagnostictests.html
- Drug Therapy https://medlineplus.gov/drugtherapy.html
- Surgery and Rehabilitation https://medlineplus.gov/surgeryandrehabilitation.html
- Genetic Counseling https://medlineplus.gov/geneticcounseling.html
- Palliative Care https://medlineplus.gov/palliativecare.html

Additional Information & Resources

MedlinePlus

- Encyclopedia: Neutropenia--infants https://medlineplus.gov/ency/article/007230.htm
- Health Topic: Blood Disorders https://medlineplus.gov/blooddisorders.html

Additional NIH Resources

 National Cancer Institute: Inherited Bone Marrow Failure Syndromes https://dceg.cancer.gov/research/what-we-study/bone-marrow-failure-syndromes

Educational Resources

- Disease InfoSearch: Severe congenital neutropenia autosomal dominant http://www.diseaseinfosearch.org/Severe+congenital+neutropenia+autosomal +dominant/6527
- Disease InfoSearch: Severe congenital neutropenia autosomal recessive 3 http://www.diseaseinfosearch.org/Severe+congenital+neutropenia+autosomal +recessive+3/6528
- Disease InfoSearch: Severe congenital neutropenia X-linked
 http://www.diseaseinfosearch.org/Severe+congenital+neutropenia+X-linked/6529
- MalaCards: severe congenital neutropenia http://www.malacards.org/card/severe_congenital_neutropenia
- Merck Manual Home Edition for Patients and Caregivers
 http://www.merckmanuals.com/home/blood-disorders/white-blood-cell-disorders/neutropenia
- Orphanet: Severe congenital neutropenia http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=42738

Patient Support and Advocacy Resources

National Organization for Rare Disorders (NORD)
 https://rarediseases.org/rare-diseases/severe-chronic-neutropenia/

GeneReviews

- ELANE-Related Neutropenia https://www.ncbi.nlm.nih.gov/books/NBK1533
- G6PC3 Deficiency https://www.ncbi.nlm.nih.gov/books/NBK285321

Genetic Testing Registry

- Severe congenital neutropenia https://www.ncbi.nlm.nih.gov/gtr/conditions/C1853118/
- Severe congenital neutropenia 2, autosomal dominant https://www.ncbi.nlm.nih.gov/gtr/conditions/C2751288/
- Severe congenital neutropenia 4, autosomal recessive https://www.ncbi.nlm.nih.gov/gtr/conditions/C2675526/
- Severe congenital neutropenia autosomal dominant https://www.ncbi.nlm.nih.gov/gtr/conditions/C1859966/
- Severe congenital neutropenia X-linked https://www.ncbi.nlm.nih.gov/gtr/conditions/C1845987/

ClinicalTrials.gov

ClinicalTrials.gov
 https://clinicaltrials.gov/ct2/results?cond=%22severe+congenital+neutropenia%22

Scientific articles on PubMed

 PubMed https://www.ncbi.nlm.nih.gov/pubmed?term=%28Neutropenia%5BMAJR%5D%29+ AND+%28severe+congenital+neutropenia%5BTIAB%5D%29+AND+english%5Bla %5D+AND+human%5Bmh%5D+AND+%22last+720+days%22%5Bdp%5D

OMIM

- NEUTROPENIA, SEVERE CONGENITAL, 1, AUTOSOMAL DOMINANT http://omim.org/entry/202700
- NEUTROPENIA, SEVERE CONGENITAL, 2, AUTOSOMAL DOMINANT http://omim.org/entry/613107
- NEUTROPENIA, SEVERE CONGENITAL, 3, AUTOSOMAL RECESSIVE http://omim.org/entry/610738
- NEUTROPENIA, SEVERE CONGENITAL, 4, AUTOSOMAL RECESSIVE http://omim.org/entry/612541
- NEUTROPENIA, SEVERE CONGENITAL, X-LINKED http://omim.org/entry/300299

Sources for This Summary

- Berliner N. Lessons from congenital neutropenia: 50 years of progress in understanding myelopoiesis. Blood. 2008 Jun 15;111(12):5427-32. doi: 10.1182/blood-2007-10-077396. Review. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/18544696
- Borzutzky A, Reyes ML, Figueroa V, García C, Cavieres M. Osteoporosis in children with severe congenital neutropenia: bone mineral density and treatment with bisphosphonates. J Pediatr Hematol Oncol. 2006 Apr;28(4):205-9.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/16679916
- Boztug K, Klein C. Novel genetic etiologies of severe congenital neutropenia. Curr Opin Immunol. 2009 Oct;21(5):472-80. doi: 10.1016/j.coi.2009.09.003. Epub 2009 Sep 24. Review.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/19782549
- GeneReview: ELANE-Related Neutropenia https://www.ncbi.nlm.nih.gov/books/NBK1533
- Grenda DS, Murakami M, Ghatak J, Xia J, Boxer LA, Dale D, Dinauer MC, Link DC. Mutations of the ELA2 gene found in patients with severe congenital neutropenia induce the unfolded protein response and cellular apoptosis. Blood. 2007 Dec 15;110(13):4179-87. Epub 2007 Aug 30. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/17761833
 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2234798/
- Rosenberg PS, Alter BP, Link DC, Stein S, Rodger E, Bolyard AA, Aprikyan AA, Bonilla MA, Dror Y, Kannourakis G, Newburger PE, Boxer LA, Dale DC. Neutrophil elastase mutations and risk of leukaemia in severe congenital neutropenia. Br J Haematol. 2008 Jan;140(2):210-3. Epub 2007 Nov 20.
 - Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/18028488
 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3143022/
- Schäffer AA, Klein C. Genetic heterogeneity in severe congenital neutropenia: how many aberrant pathways can kill a neutrophil? Curr Opin Allergy Clin Immunol. 2007 Dec;7(6):481-94. Review. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/17989524
 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2720578/
- Ward AC, Dale DC. Genetic and molecular diagnosis of severe congenital neutropenia. Curr Opin Hematol. 2009 Jan;16(1):9-13. doi: 10.1097/MOH.0b013e32831952de. Review.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/19057199
 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2720320/
- Welte K, Zeidler C. Severe congenital neutropenia. Hematol Oncol Clin North Am. 2009 Apr;23(2): 307-20. doi: 10.1016/j.hoc.2009.01.013.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/19327585
- Xia J, Bolyard AA, Rodger E, Stein S, Aprikyan AA, Dale DC, Link DC. Prevalence of mutations in ELANE, GFI1, HAX1, SBDS, WAS and G6PC3 in patients with severe congenital neutropenia. Br J Haematol. 2009 Nov;147(4):535-42. doi: 10.1111/j.1365-2141.2009.07888.x. Epub 2009 Sep 22. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/19775295
 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2783282/
- Zeidler C, Germeshausen M, Klein C, Welte K. Clinical implications of ELA2-, HAX1-, and G-CSF-receptor (CSF3R) mutations in severe congenital neutropenia. Br J Haematol. 2009 Feb;144(4): 459-67. doi: 10.1111/j.1365-2141.2008.07425.x. Epub 2008 Dec 10. Review. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/19120359

Reprinted from Genetics Home Reference:

https://ghr.nlm.nih.gov/condition/severe-congenital-neutropenia

Reviewed: April 2010

Published: January 24, 2017

Lister Hill National Center for Biomedical Communications U.S. National Library of Medicine National Institutes of Health Department of Health & Human Services